

**PROFORMA REGARDING SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE**No. 42/2021Date: 8/12/21

It is certified that an inspection team headed by D. P. Pathak (Name of Officers with designation) from C.M.C. Jais, Prayagraj (Name of Department/ Office) Inspected the D.A.V. Sardar Patel Public School PPGCL, Bara, Prayagraj (U.P.) 212107 (Name & Address of the School) on 6/12/21 and found that the D.A.V. Sardar Patel Public School PPGCL, Bara, Prayagraj (U.P.) 212107 (Name of School) has safe drinking water facilities for the students and members of staff of the institution and is maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the Central/ State/U.T Govt.

The above valid for a period of 3 yrs.

Signature of CMO (CHC-Jasara) with Seal: Name: D. P. PathakDesignation: Chief Medical Officer

To  
The Principal  
D.A.V. Sardar Patel Public School  
PPGCL, Bara, Prayagraj (U.P.) 212107

No. PPGCL/CHEM/Apr-23

April 29, 2023

**TO WHOM SO EVER CONCERN**

It is certified that the supply of water in **DAV Sardar Patel Public School, Prayagraj**, is from the **OVERHEAD TANK – Drinking Water of Prayagraj Power Generation Company Limited**, located in Village- Khan Semra, Tehsil-Bara, District-Prayagraj, U.P. This water supply is **analysed on a monthly basis by M/s Mitra S K Private Ltd** (NABL Accredited lab).

Based on the provided sample of drinking water, the **analysis report dated 04.04.23** has been generated by PPGCL for the month of **April 2023**. It was found that the school has safe drinking water for students and staff of the institution. The school also has provision for running water in the toilets and **maintains good hygienic and sanitation conditions** as per the norms.

Seal:



**Authorised Signatory  
(Subash Chandra Tiwari)**

Prayagraj Power Generation Co. Ltd  
P.O. Lohgara, Tehsil: Bara, Prayagraj  
Uttar Pradesh – 212107

**Note:** The monthly report will be made available as and when required.

**Prayagraj Power Generation Company Limited**

Reg

Pho

Plar

Pho

Digitally signed by RACHANA DUBEY  
Date: 2023.06.09 10:17:46 +05:30  
Reason: reason  
Location: location

, B 12 & 13, Sector 4, Gautam Budh Nagar, Noida, Uttar Pradesh - 201301

CIN: U40101UP2007PLC032835

- Bara, Prayagraj (Allahabad), Uttar Pradesh - 212107

i66, Web:-ppgcl.co.in, Email:-ppgcl@ppgcl.co.in

## Address of Laboratory :

Building No. P- 48, Udayan Industrial Estate,  
3, Pagladanga Road, Kolkata 700015  
West Bengal  
Tel. : +91 7044036120  
Email: udayanlab@mitrask.com



TC-6950



Scan for Portal

ULR: TC-6950230M0003150F

## TEST REPORT

### Name & Address of Customer :

Prayagraj Power Generation Company Ltd.

Vill: Khan Semra,  
Tehsil: Bara,  
Dist: Prayagraj Uttar Pradesh India Pin 212107

Report No. :

MSKPL/FD/2023-24/JFLC0H

Date :

12/04/2023

Sample No. :

MSKNB/FD/2023-24/04/TTL17K

Date of receipt of sample:

04/04/2023

Date(s) of performance:

04/04/2023 - 12/04/2023

Location of performance of

Permanent Facility

Reference No. & Date :

9200000102, Date - 24/05/2021

Discipline:

Chemical

We hereby certify that the following sample Drawn by us has been analyzed with the following results:

1. Group	Water & Residue in Water
2. Description of sample	Drinking Water.
3. Unique Identification of sample(if any)	OVER HEAD TANK DRINKING WATER
4. Date of sampling	03/04/2023
5. Place of sampling	Prayagraj Power Generation Company Ltd. Vill: Khan Semra, Tehsil: Bara, Dist: Prayagraj Uttar Pradesh India Pin 212107
6. Environmental conditions during sampling & Transport	(2 - 5) deg C. Cold chain maintained
7. Sampling Plan & Method used	IS 17614 (P - 5): 2022
8. Identification of the personnel performing sampling by MSK	RAMESH KUMAR NISHAD

Report No. : MSKPL/FD/2023-24/JFLC0H

Sample No. : MSKNB/FD/2023-24/04/TTL17K

## RESULT

Sl No.	Parameter	UOM	Method	Acceptable Limit	Permissible Limit	Result
1	Aluminium as Al	mg/l	IS 3025 (Part 2) : 2004	0.03	0.2	BDL(DL:0.01)
2	Anionic Detergents (as MBAS)	mg/l	IS 13428 (ANNEX K): 2005	0.2	1.0	BDL(DL:0.05)
3	Arsenic as As	mg/l	IS 3025 (Part 2) : 2004	0.01	No Relaxation	BDL(DL:0.005)
4	Barium as Ba	mg/l	IS 3025 (Part 2) : 2004	0.7	No Relaxation	BDL(DL:0.1)
5	Boron as B	mg/l	IS 3025 (Part 2) : 2004	0.5	2.4	BDL(DL:0.25)
6	Cadmium as Cd	mg/l	IS 3025 (Part 2) : 2004	0.003	No Relaxation	BDL(DL:0.001)
7	Calcium as Ca	mg/l	IS 3025 (Part 40) : 1991	75	200	40
8	Chloride as Cl	mg/l	IS 3025 (Part 32) : 1988	250	1000	49.48
9	Colour	Hazen	IS 3025 (Part 4) : 2021	5	15	BDL(DL:1.0)
10	Copper as Cu	mg/l	IS 3025 (Part 2) : 2004	0.05	1.5	BDL(DL:0.02)
11	Cyanide as CN	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL:0.01)
12	Fluoride as F	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	0.26
13	Hexavalent Chromium (as Cr+6)	mg/l	IS 3025 (Part 52) : 2003	Not specified	Not specified	BDL(DL:0.01)
14	Iron as Fe	mg/l	IS 3025 (Part 53) : 1988	0.5	No Relaxation	BDL(DL:0.05)
15	Lead as Pb	mg/l	IS 3025 (Part 2) : 2004	0.01	No Relaxation	BDL(DL:0.005)
16	Magnesium as Mg	mg/l	IS 3025 (Part 46) : 1994	30	100	21.60
17	Manganese as Mn	mg/l	IS 3025 (Part 2) : 2004	0.1	0.3	BDL(DL:0.02)
18	Mercury as Hg	mg/l	IS 3025 (Part 18) : 1994	0.001	No Relaxation	BDL(DL:0.0002)

Reviewed By

Signature

Name : Ms. Paulini Udda

Designation : Sr. Executive QA

Authorized Signatory

Signature

Name : Dr. Soumyadeep Mukhopadhyay

Designation : Lab In-charge

## Address of Laboratory :

Building No. P- 48, Udayan Industrial Estate,  
3, Pagladanga Road, Kolkata 700015  
West Bengal  
Tel. : +91 7044036120  
Email: udayanlab@mitrask.com



TC-6950



Scan for Portal

ULR: TC-695023000003150F

Report No. : MSKPL/FD/2023-24/JFLCOH

Sample No. : MSKNB/FD/2023-24/04/TTL17K

## RESULT

Sl No.	Parameter	UOM	Method	Acceptable Limit	Permissible Limit	Result
19	Molybdenum as Mo	mg/l	IS 3025 (Part 2) : 2004	0.07	No relaxation	BDL(DL:0.05)
20	Nickel (as Ni)	mg/l	IS 3025 (Part 2) : 2004	0.02	No Relaxation	BDL(DL:0.01)
21	Nitrate as NOS	mg/l	IS 3025 (Part 34) : 1988	45	No Relaxation	0.98
22	Odour	None	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	AGREEABLE
23	Phenolic Compounds as C6H5OH	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL:0.001)
24	Residual Free Chlorine	mg/l	IS 3025 (Part 26) : 1986	0.2	1.0	BDL(DL:0.1)
25	Selenium as Se	mg/l	IS 3025 (Part 2) : 2004	0.01	No relaxation	BDL(DL:0.005)
26	Sulphate as SO4	mg/l	IS 3025 (Part 24) : 1986	200	400	3.89
27	Total Alkalinity as CaCO3	mg/l	IS 3025 (Part 23) : 1986	200	600	118.8
28	Total Dissolved Solids (as TDS)	mg/l	IS 3025 (Part 16) : 1984	500	2000	240
29	Total Hardness as CaCO3	mg/l	IS 3025 (Part 21) : 2009	200	600	190
30	Turbidity	N.T.U.	IS 3025 (Part 10) : 1984	1	5	1.4
31	Zinc as Zn	mg/l	IS 3025 (Part 2) : 2004	5	15	BDL(DL:0.02)
32	pH	None	IS 3025 (Part 11) : 1984	6.5-8.5	No Relaxation	7.89 at 25 deg C

Opinion : Limit as per IS:10500:2012

Statement of Conformity NA

--- END ---

Reviewed By

Signature :

Name : Ms. Paulami Dutta

Designation : Sr. Executive QA

Authorized Signatory

Signature :

Name : Dr. Soumyadeep Mukhopadhyay

Designation : Lab In-charge

\*The results relate only to the item(s) tested.

\*This Test Report shall not be reproduced except in full, without the permission of Mitra S.K. Private Limited

\*The reserved part of sample(s) for chemical analysis (Non - perishable sample(s) Food, Water) shall be retained for 15 days from the date of issue of the Test Report. Perishable sample(s) shall be retained 7 days from the date of issue of the Test Report.

\*The reserved part of sample(s) for chemical analysis (Soil, Solid &amp; Liquid Waste) shall be retained for 15 days as per CPCB guideline &amp; (Air) 1 month from the date of issue of the Test Report.

\*The reserved part of sample(s) for Microbiological analysis (Non - perishable sample(s) Food, Sealed Water, Sealed food) shall be retained for 15 days from the date of issue of the Test Report.

Head Office: Shashi Centre (2nd Floor), 74B, A.J.C. Bose Road, Kolkata - 700015, West Bengal, India  
Tel. : 91 33 40143000 / 22650007 Fax : 91 33 22650008  
Email : info@mitrask.com Website : www.mitrask.com

Page 2 of 2

**Address of Laboratory :**

Building No. P- 48, Udayan Industrial Estate,  
3, Pagladanga Road, Kolkata 700015  
West Bengal  
Tel. : +91 7044036120  
Email: udayanlab@mitrask.com



TC-6950



Scan for Portal

ULR: TC-695023000003150F

**TEST REPORT****Name & Address of Customer :**

Prayagraj Power Generation Company Ltd.

Vill: Khan Semra,  
Tehsil : Bara,  
Dist.: Prayagraj Uttar Pradesh India Pin 212107

**Report No. :**

MSKPL/FD/2023-24/JFLC0H

**Date :**

12/04/2023

**Sample No. :**

MSKNB/FD/2023-24/04/TTL17K

**Date of receipt of sample:**

04/04/2023

**Date(s) of performance:**

04/04/2023 - 05/04/2023

**Location of performance of**

Permanent Facility

**Reference No. & Date :**

920000102, Date - 24/05/2021

**Discipline:**

Biological

We hereby certify that the following sample Drawn by us has been analyzed with the following results:

1. Group	Water & Residue in Water
2. Description of sample	Drinking Water
3. Unique Identification of sample(if any)	OVER HEAD TANK DRINKING WATER
4. Date of sampling	03/04/2023
5. Place of sampling	Prayagraj Power Generation Company Ltd. Vill.: Khan Semra, Tehsil: Bara, Dist.: Prayagraj Uttar Pradesh India Pin 212107
6. Environmental conditions during sampling & Transport	(2 - 5) deg C. Cold chain maintained
7. Sampling Plan & Method used	IS 17614 (P - 25): 2022
8. Identification of the personnel performing sampling by MSK	RAMESH KUMAR NISHAD

**Report No. :** MSKPL/FD/2023-24/JFLC0H**Sample No. :** MSKNB/FD/2023-24/04/TTL17K**RESULT**

Micro Biology						
Sl No.	Parameter	UOM	Method	Acceptable Limit	Permissible Limit	Result
1	E. coli	/100ml	IS 15185:2016	Not Detectable	Not Applicable	Not Detected
2	Total Coliform Bacteria	/100ml	IS 15185:2016	Not Detectable	Not Applicable	Not Detected

**Opinion :** Limit as per IS:10500:2012**Statement of Conformity** NA

----- END -----

Reviewed By

Signature

Name

Ms. Poulami Dutta

Designation

Sr Executive QA

Authorized Signatory

Signature

Name

Mr. Suman Palui

Designation

Technical In charge

\*The results relate only to the item(s) tested.

\*This Test Report shall not be reproduced except in full, without the permission of Mitra S.K. Private Limited.

\*The reserved part of sample(s) for chemical analysis (Non - perishable sample(s) Food, Water) shall be retained for 15 days from the date of issue of the Test Report. Perishable sample(s) shall be retained 2 days from the date of issue of the Test Report.

\*The reserved part of sample(s) for chemical analysis (Soil, Solid &amp; Liquid Waste) shall be retained for 15 days as per CPCB guideline &amp; (Air) 1 month from the date of issue of the Test Report.

\*The reserved part of sample(s) for Microbiological analysis (Non - perishable sample(s) Food, Sealed Water, Sealed food) shall be retained for 15 days from the date of issue of the Test Report.

**Head Office:** Shrauti Centre (5th Floor), 7th, A.J.C. Bose Road, Kolkata - 700015, West Bengal, India  
Tel. : 91 33 40143000 / 22650007 Fax : 91 33 22650008  
Email : info@mitrask.com Website : www.mitrask.com




## SELF - CERTIFICATION PROFORMA

**Category of application : Fresh Affiliation up to Senior Secondary Level**


We (i) RACHANA DUBEY (Principal) And (ii) ANAND S SARASWAT (Manager/ Signing Authority) of the school DAV SARDAR PATEL PUBLIC SCHOOL certify that :

1	The following uploaded documents are genuine and valid
*	No Objection Certificate No.: NOC/12702-09/2022-23
*	NOC Issuing Authority : Joint Education Director
*	Trust/Society/Company Registration No.: S-9 of 1948-1949
*	Trust/Society/Company Registration Issuing Authority : Registrar of Joint Stock Companies
*	Recognition Certificate No.: PRA0945384143
*	Recognition Issuing Authority : District Basic Education Officer
*	Recognition Expiry Date: School has obtained permanent recognition
*	Fire Safety Certificate No.: ALLAHABAD/1535/CFO
*	Fire Safety Certificate Issuing Authority : Chief Fire Safety Officer
*	Fire Safety Certificate Expiry Date: 30/03/2026
*	Building Safety Certificate No.: 15/SATYPAN
*	Building Safety Certificate Issuing Authority (Not below the rank of AsstL Engineer in PWD) : Assit Engineer
*	Building Safety Certificate Expiry Date: 02/05/2051
*	Land Certificate No: 653/DLRC/31/12/22
*	Land Certificate Issuing Authority: Tehsildhar
*	Land Certificate is in name of School/Society/Trust/Company duly signed by authorized signatory
*	Water and Sanitation Certificate No.: 42/2021
*	Water and Sanitation Issuing Authority: Chief Medical Officer
*	Date of Issue of Water and Sanitation Certificate: 08/12/2021
2.	That mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application.
3.	That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4.	Submission of wrong system Generated DEO Certificate / Self-undertaking Certificate or deliberate misrepresentation or fraud may result in summarily rejection of application.
5.	Submission of fraudulent/deliberate misrepresentation/fraud undertaking with intent to obtain affiliation through wrongful means may also lead to penal action against Principal, Manager and authorized signatory of Society.

Name and Signature(s) :

 Principal <b>D.A.V. Sardar Patel Public School</b> Date: 07/06/2023 <b>PPGCL, Bara</b>	 Authorized signatory of Trust/Society/Company <b>Chairman</b> <b>D.A.V. Sardar Patel Public School</b> Place: Prayagraj, UTTAR PRADESH <b>PPGCL, Bara</b> <b>Prayagraj (UP)</b>	 Manager/Authorized Signatory <b>Manager</b> <b>D.A.V. Sardar Patel Public School</b> <b>PPGCL, Bara</b> <b>Prayagraj (UP)</b>
--	---	--

This Digitally signed by RACHANA DUBEY  
 Date: 2023.06.09 10:17:46 +05:30  
 Reason: reason  
 Location: location



# Certificate of Registration of Societies.

ACT XXI OF 1860.

No. 59 of 1948-1949.

I hereby certify that 'Dayanend Anglo-Vedic College Trust & Management Society.'

has this day been registered under the Societies' Registration Act, 1860 of 1860.

Given under my hand at Kalka.

this 30th day of June.

One thousand nine hundred and Forty Eight.  
Fee. Rs. 10/ Only.

Registrar of Joint Stock Companies.  
East Punjab.

*[Signature]*



S. C. 36  
P-805

(M-1629)-12-2-48-2,000.


No 525 dt: 2.7.48.

ਪੰਜਾਬ ਸਰਕਾਰ

ਰਜਿਸਟਰਾਰ ਆਫ਼ ਫਰਮਜ਼ ਅਤੇ ਸੋਸਾਇਟੀਜ਼  
ਪੰਜਾਬ।  
Registrar of Firms & Societies  
17, Bhai Bihari

Attested.

*[Signature]*  
General Secretary  
D.A.V. College Managing Committee  
Chitra Gupta Road, New Delhi-110052



प्रिंसिपल  
 D.A.V. Sardar Patel Public School  
 Prayagraj (U.P.)

SCALE	1:100
DATE	11/10
NO.	1
PROJECT	PGCL
NO. OF SHEETS	1
TOTAL NO. OF SHEETS	1
DATE OF PREPARED	11/10
DATE OF APPROVAL	
BY	
FOR	

GROUND FLOOR PLAN

DAV SARDAR PATEL PUBLIC SCHOOL  
 PGCL, BARA  
 PRAYAGRAJ, UTTAR PRADESH

*Handwritten signature*


Chairman  
 D.A.V. Sardar Patel Public School  
 PGCL, Bara  
 Prayagraj (U.P.)

Digitally signed by RACHANA DUBEY  
 Date: 2023.06.09 10:17:46 +05:30  
 Reason: reason  
 Location: location

D.A.V. Sardar Patel Public School  
 Prayagraj (U.P.)



Principal  
 D.A.V. Sardar Patel Public School  
 PPGCL, Bara  
 Prayagraj (U.P.)



*Handwritten signature*

Chairman  
 D.A.V. Sardar Patel Public School  
 PPGCL, Bara  
 Prayagraj (U.P.)

Principal  
 D.A.V. Sardar Patel P.  
 PPGCL, Bara  
 Prayagraj

DAV SARDAR PATEL PUBLIC SCHOOL  
 PPGCL, BARA  
 PRAYAGRAJ, UTTAR PRADESH

FIRST FLOOR PLAN

SPS-02 R1



SCALE - 1/16  
 DATE - 28 FEBRUARY 2011

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED  
 2. ALL DIMENSIONS TO FACE UNLESS OTHERWISE SPECIFIED  
 3. ALL DIMENSIONS TO CENTER UNLESS OTHERWISE SPECIFIED

DAV SARDAR PATEL PUBLIC SCHOOL  
 PPGCL, BARA  
 PRAVAGRAJ, UTTAR PRADESH

SECOND FLOOR PLAN

1. TO REMAIN AS IS EXCEPT WHERE SHOWN OTHERWISE  
 2. TO BE EXERCISED IN ACCORDANCE WITH THE RULES OF THE ACT


SCALE: 1/100



25-11-2017

Principal  
 D.A.V. Sardar Patel Public School  
 PPGCL, Bara  
 Prayagraj (U.P.)

*[Handwritten signature]*



*[Handwritten signature]*

Chairman  
 D.A.V. Sardar Patel Public School  
 PPGCL, Bara  
 Prayagraj (U.P.)

D.A.V. Sardar Patel Public School  
 PPGCL, Bara  
 Prayagraj (U.P.)

## प्रारूप-छ (संलग्नक-6)

### अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2023/77774/ALB/ALLAHABAD/1535/CFO

दिनांक: 30-03-2023

प्रमाणित किया जाता है कि मैसर्स **DAV SARDAR PATEL PUBLIC SCHOOL PPGCL BARA PRAYAGRAJ** (भवन/प्रतिष्ठान का नाम)पता **0,NH-35 PPGCL BARA,BARA** तहसील - **BARA**, प्लॉट एरिया **18562.97 sq.mt** , कुल कवर्ड एरिया **7752.27** (वर्ग मीटर), ब्लॉकों की संख्या - **1** जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
BLOCK A	3	0	11.50 mt.

है। भवन का अधिभोग मैसर्स **DAV SARDAR PATEL PUBLIC SCHOOL PPGCL BARA PRAYAGRAJ** द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण द्वारा दिनांक **31-03-2023** को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री **DAVSPPS davspssprincipal@gmail.com 7393897413** के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रुत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी **Educational** के अन्तर्गत वैधता तिथि **31-03-2023** से **30-03-2026** तक **3** वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स **DAV SARDAR PATEL PUBLIC SCHOOL PPGCL BARA PRAYAGRAJ** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स **DAV SARDAR PATEL PUBLIC SCHOOL PPGCL BARA PRAYAGRAJ** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

**Note :** 1.आवेदक द्वारा शपथ पत्र अपलोड किया गया है कि भवन वर्ष 2021 के पूर्व से निर्मित है।सेटबैक के संबंध में सत्ताप्राधिकारी द्वारा निर्णय मान्य होगा/ अतएव शासन के पत्र संख्या 187/छ:-पु-8-2022/905(34)/2016 दिनांक 07-01-2022 के आधार पर निर्गत किया जा रहा है, भवन में ढाँचागत परिवर्तन /अतिरिक्त निर्माण कराये जाने की दशा में अग्निशमन विभाग द्वारा पुनः अनापत्ति प्रमाण पत्र प्राप्त किया जाना अनिवार्य होगा। 2.भवन में स्थापित अग्निशमन व्यवस्थाओं को सदैव कार्यशील दशा में बनाये रखना अनिवार्य होगा। 3.प्रतिवर्ष विहित फीस लेखा शीर्षक में जमा कराने के उपरांत अग्निशमन पद्धति का अनुरक्षण व अग्निशमन यंत्रों फायरऑडिट कराना अनिवार्य होगा।

**"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"**

हस्ताक्षर (निर्गमन अधिकारी)

(मुख्य अग्निशमन अधिकारी)



Digitally Signed By  
(Rajeev Kumar Pandey)

[8DA5490F8C1BCDF5B167752BB7A40B3F521C46EC]

31-03-2023

निर्गत किये जाने का दिनांक : 31-03-2023  
स्थान : ALLAHABAD

Digitally signed by RACHANA DUBEY  
Date: 2023.06.09 10:17:46 +05:30  
Reason: reason  
Location: location

# लोक निर्माण विभाग



पत्रांक:- 15 / सत्यापन

दिनांक:- 29-05-2023

## अनापत्ति प्रमाण-पत्र

भारत की राष्ट्रीय भवन निर्माण संहिता-2005 में उल्लिखित शैक्षिक भवनों के लिये लोक निर्माण विभाग के नियमों के अनुरूप डी०ए०वी० सरदार पटेल पब्लिक स्कूल, पी०पी०जी०सी०एल०, बारा, प्रयागराज का निरीक्षण दिनांक 29 मई, 2023 को किया गया। विद्यालय भवन द्वितीय तल तक निर्मित है।

विद्यालय का निर्मित भवन वर्तमान में संतोषजनक स्थिति में है तथा उपयोग हेतु सुरक्षित है।

(विजय कुमार)

सहायक अभियन्ता

निर्माण खण्ड-3, लो०नि०वि०

प्रयागराज



Office of the District Basic Education Officer  
**PRAYAGRAJ**

CERTIFICATE OF SCHOOL RECOGNITION

1. This is to certify that **DAV Sardar Patel Public School, PPGCL BARA PRAYAGRAJ** is permanently recognized for Primary(class 1 to 5).The Recognition number allotted to DAV Sardar Patel Public School is **PRA0945384014**.The applicable terms and conditions of the recognition of your school is annexed.

2. DATE OF ISSUE

15-05-2023(DD/MM/YYYY)

3. Recognition Type

Old

4.School Type

Pre-Primary School and Primary School

5.Recognition No.

PRA0945384014

DATE:- 15-05-2023

**District Basic Education Officer**

PLACE:- PRAYAGRAJ

Digitally signed by PRAVEEN KUMAR TIWARI  
Date: 2023.05.15 19:58:53  
Reason: For Digital Signature  
Location: PRAYAGRAJ



Office of the District Basic Education Officer  
**PRAYAGRAJ**

CERTIFICATE OF SCHOOL RECOGNITION

1. This is to certify that **DAV Sardar Patel Public School, PPGCL BARA PRAYAGRAJ** is permanently recognized for Upper Primary(class 6 to 8).The Recognition number allotted to DAV Sardar Patel Public School is **PRA0945384143**.The applicable terms and conditions of the recognition of your school is annexed.

2. DATE OF ISSUE	<u>21-05-2023</u> (DD/MM/YYYY)	
3. Recognition Type	Old	
4.School Type	Upper Primary School(6 to 8)	
5.Recognition No.	<table border="1"><tr><td>PRA0945384143</td></tr></table>	PRA0945384143
PRA0945384143		

DATE:- 21-05-2023

PLACE:- PRAYAGRAJ

**District Basic Education Officer**

Digitally signed by PRAVEEN KUMAR TIWARI  
Date: 2023.05.21 20:39:45  
Reason: For Digital Signature  
Location: PRAYAGRAJ

**FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN  
RESPECT OF SCHOOLS SEEKING AFFILIATION WITH THE CENTRAL BOARD OF  
SECONDARY EDUCATION**

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and Security of  
Children in Schools developed by NCPCR and the National Building Code)

**PART-A**

(This part is to be filled-up by the school and to be produced before the District Education Officer  
along with all supporting documents and certificates in original)

**GENERAL INFORMATION**

1	Name of the School. (Name should be exactly as per NOC and recognition certificate)	DAV SARDAR PATEL PUBLIC SCHOOL
2	Address of the School:	PPGCL, BARA, PRAYAGRAJ
3	U-DISE code allotted to the school:	AWAITED
4	Name and address of the Trust/Society/ Company (under section- 8) running the School	DAV COLLEGE MANAGING COMMITTEE, NEW DELHI
5	Is the Trust/Society/ Company duly registered with the competent registering authority and the registration is valid as on date?	YES
6	Proposed affiliation with CBSE for:	SENIOR SECONDARY
7	Location of school	NEAR PPGCL HEALTH CARE CENTRE, BARA PRAYAGRAJ (U.P.)-212107
8	Is the School already affiliated to any board for Class-X or XII examinations?	NO
9	Standard/level/class up to which the school is running:	I TO VIII

(Signature of Principal)

**Principal**  
D.A. I. Sardar Patel Public School  
PPGCL, Bara  
Prayagraj (U.P.)

*Handwritten Signature*  
**Chairman**

D.A.V. Sardar Patel Public School  
PPGCL, Bara  
Prayagraj (U.P.)

(Signature of D.E.O.)

*Handwritten Signature*  
विद्यालय निरीक्षक  
प्रयागराज


## APPENDIX-II

INFORMATION REGARDING NOC AND RECOGNITION CERTIFICATE		
10	Has the school obtained No Objection Certificate from the State Government for Affiliation with CBSE?	YES
11	Number of NOC and date of issue:	NOC/2022-23 DTD.25.03.2023
12	Has the school obtained Recognition Certificate from the State Government from class-1 to 8 <sup>th</sup> ?	YES
13	Number of Recognition Certificate from class-1 to 8 <sup>th</sup> and date of issue:	PRA0945384014 PRA0945384143
INFORMATION REGARDING LAND DETAILS AND OWNERSHIP		
14	Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?	YES
15	Are both the School and the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides?	YES
16	Total area (in square meters) in respect of 14 and 15 above on which the school is situated:	36620 SQ. METERS
17	The land is in the possession of the school/ Trust/Society/Company legally by way of:	DAV SARDAR PATEL PUBLIC SCHOOL
18	Name of the Owner/Lessee of the land in respect of point-16 above:	PPGCL, BARA, PRAYAGRAJ-212107
19	In case the land is in the possession of the society/school by way of lease as per State Government norms, the period of the lease:	30 YRS. (RENEWABLE)
20	Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point-16 above?	NO
INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS		
21	Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?	YES
21(a)	If yes the date of last inspection:	20.12.2021
22	Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?	YES
22(a)	If yes the date of last inspection:	25.03.2021
23	Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	YES
23(a)	If yes the date of last inspection:	06.12.2021
INFORMATION REGARDING THE STAFF		
24	Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government?	YES

(Signature of Principal)

Principal

D.A.V. Sardar Patel Public School  
PPGCL, Bara  
Prayagraj (U.P.)



Chairman

D.A.V. Sardar Patel Public School  
PPGCL, Bara  
Prayagraj (U.P.)

(Signature of D.E.O.)

जिला शिक्षा अधिकारी/  
जिला विद्यालय निरीक्षक  
प्रयागराज



APPENDIX-II

25	Is the school paying salary to the teachers and other employees as per the norms of the appropriate Government?	YES NO
26	Is the salary to the teachers and other employees of the school being paid through the bank by mode of electronic clearing? (Payment by cheque or cash to the individuals is not allowed)	YES
Signature with Stamp (of School Manager)		Signature with Stamp (of School Principal)
<b>PART-B</b>		
(This part is to be filled-up by the District Education Officer after verifying all supporting documents and certificates in original and visiting the school)		
File No. 15888/2022-23		Date of Issuance 29.03.2023
1	This is to certify that the information above, provided by the school has been verified on the basis of all supporting documents & certificates and visiting the school and the information has been found correct.	
2	Is the school recommended for affiliation? (Please ensure that the school fulfils land requirements also as per details given in Appendix-A along with point nos. 1-26)	YES
3	Recommended for Middle Class Syllabus/Secondary/Senior Secondary to CBSE?	SENIOR SECONDARY
		Signature (Name and Stamp of Issuing DEO) DISTRICT EDUCATION OFFICER/NAME OF DISTRICT

  
 (Signature of Principal)  
 Principal  
 D.A.V. Sardar Patel Public School  
 PPGL, Bara  
 Prayagraj (U.P.)

  
 Chairman  
 D.A.V. Sardar Patel Public School  
 PPGL, Bara  
 Prayagraj (U.P.)

(Signature of D.E.O.)  
  
 जिला शिक्षा अधिकारी/  
 जिला विद्यालय निरीक्षक  
 प्रयागराज

प्रेषक,

संयुक्त शिक्षा निदेशक,  
प्रयागराज मण्डल, प्रयागराज

सेवा में,

सचिव,  
केन्द्रीय माध्यमिक शिक्षा बोर्ड,  
शिक्षा केन्द्र-2, समुदाय केन्द्र,  
प्रीत विहार, नई दिल्ली,  
पिन कोड-110092

पत्रांक/NOC/

/2022-23

दिनांक: 25/03/2023

विषय:- डी0ए0वी0 सरदार पटेल पब्लिक स्कूल, पी0पी0जी0सी0एल0 बारा, प्रयागराज, उ0प्र0 को सी0बी0एस0ई0 बोर्ड, नई दिल्ली से सम्बद्धता हेतु अनापत्ति प्रमाण-पत्र दिये जाने के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक शासनादेश संख्या-1916/15-7-09-1(299)/2007 शिक्षा(7) अनुभाग, लखनऊ दिनांक 14 जुलाई, 2009 एवं शासनादेश संख्या-2144/15-07-2020-1(34)/2020 माध्यमिक शिक्षा अनुभाग-07, लखनऊ दिनांक 07 जनवरी, 2021 द्वारा सी0बी0एस0ई0 बोर्ड, नई दिल्ली से सम्बद्धता हेतु आवेदन पत्र के परीक्षणोपरान्त मण्डलायुक्त, प्रयागराज मण्डल, प्रयागराज की अध्यक्षता में गठित मण्डलीय समिति के अनुमोदन/संस्तुति दिनांक 14.03.2023 के क्रम में डी0ए0वी0 सरदार पटेल पब्लिक स्कूल, पी0पी0जी0सी0एल0 बारा, प्रयागराज, उ0प्र0 को सी0बी0एस0ई0 बोर्ड, नई दिल्ली से सम्बद्धता हेतु अनापत्ति प्रमाण-पत्र निम्नलिखित प्रतिबन्धों के अधीन निर्गत किया जाता है-

1. विद्यालय की पंजीकृत सोसाइटी का समय-समय पर नवीनीकरण कराया जायेगा।
2. विद्यालय की प्रबन्ध समिति में शिक्षा निदेशक द्वारा नामित एक सदस्य होगा।
3. विद्यालय में कम से कम 10 प्रतिशत स्थान अनुसूचित जाति/अनुसूचित जनजाति के मेधावी बच्चों के लिए सुरक्षित रहेंगे और उनमें उत्तर प्रदेश माध्यमिक शिक्षा परिषद/बेसिक शिक्षा परिषद द्वारा संचालित विद्यालयों में विभिन्न कक्षाओं के लिए निर्धारित शुल्क से अधिक शुल्क नहीं लिया जायेगा।
4. संस्था द्वारा राज्य सरकार से कोई अनुदान की मांग नहीं की जायेगी और यदि पूर्व में विद्यालय माध्यमिक शिक्षा परिषद से मान्यता प्राप्त है तथा विद्यालय की सम्बद्धता सेण्ट्रल बोर्ड ऑफ सेकेंड्री एजुकेशन, नई दिल्ली/कौंसिल फॉर दि इण्डियन स्कूल सर्टीफिकेट इग्जामिनेशन, नई दिल्ली से प्राप्त होती है तो उक्त परीक्षा परिषदों से सम्बद्धता प्राप्त होने की तिथि से उत्तर प्रदेश माध्यमिक शिक्षा परिषद/बेसिक शिक्षा द्वारा प्रदत्त मान्यता तथा राज्य सरकार से प्राप्त अनुदान स्वतः समाप्त हो जायेंगे।
5. संस्था के शिक्षण तथा शिक्षणोत्तर कर्मचारियों को राजकीय सहायता प्राप्त शिक्षण संस्थाओं के कर्मचारियों को अनुमन्य वेतनमानों तथा अन्य भत्तों से कम वेतनमान तथा अन्य भत्ते नहीं दिये जायेंगे।
6. कर्मचारियों की सेवा शर्तें बनायी जायेगी और उन्हें सहायता प्राप्त अशासकीय उच्चतर माध्यमिक विद्यालयों के कर्मचारियों को अनुमन्य सेवा निवृत्त के लाभ उपलब्ध कराये जायेंगे।
7. राज्य सरकार द्वारा समय-समय पर जो भी आदेश निर्गत किये जायेंगे, संस्था उनका पालन करेगी।
8. विद्यालय का रिकार्ड निर्धारित प्रपत्र एवं पंजिकाओं में रखा जायेगा। उक्त शर्तों में राज्य सरकार के पूर्वानुमोदन के बिना कोई परिवर्तन/संशोधन/परिवर्धन नहीं किया जायेगा।

9. सी०बी०एस०ई० बोर्ड, नई दिल्ली द्वारा निर्धारित न्यूनतम अर्हता से युक्त अध्यापक नियुक्त किये जायेंगे।
10. संस्था द्वारा ट्रस्ट/सोसाइटी के बाईलाज में यह भी प्राविधान किया जायेगा कि उक्त शर्तों में बिना शासन के पूर्वानुमोदन के कोई परिवर्तन/परिवर्द्धन/संशोधन नहीं किया जायेगा।
11. सी०बी०एस०ई० बोर्ड, नई दिल्ली द्वारा निर्धारित कर्मचारियों की सेवा नियमावली का पालन किया जायेगा।
12. छात्र/छात्राओं से वही शुल्क लिया जायेगा जिन मदों में शुल्क अनुमन्य है।
13. विद्यालय की प्रबन्ध समिति में एक ही परिवार बाहुल्य नहीं रखा जायेगा।
14. शिक्षण कक्ष/प्रयोगशाला/पुस्तकालय/कार्यालय कक्ष मानक के अनुरूप ही रखे जायेंगे।
15. विद्यालय द्वारा ग्राम समाज की भूमि तथा पनघट, गोचर, तालाब, खलिहान का अतिक्रमण नहीं किया जायेगा।

उक्त प्रतिबन्धों का पालन करना संस्था के लिये अनिवार्य होगा एवं सम्बद्धता के पूर्व संस्था में अप्रशिक्षित शिक्षकों के स्थान पर प्रशिक्षित अध्यापक रखे जायें तथा संस्था के कर्मचारियों को जो राज्य सरकार से कम वेतन दिया जा रहा हो उसे पूर्ण किया जाये।

यदि किसी समय यह पाया जाता है कि संस्था द्वारा उक्त प्रतिबन्धों का पालन नहीं किया जा रहा है अथवा पालन करने में किसी प्रकार की चूक या शिथिलता बरती जाती है एवं विद्यालय प्रबन्धतंत्र द्वारा आवेदन के समय जो पत्रजात/अभिलेख अपलोड किये गये/प्राप्त कराये गये हैं, उनका विचलन संज्ञान में आने पर राज्य सरकार द्वारा प्रदत्त अनापत्ति प्रमाण-पत्र वापस ले लिया जायेगा, जिसका सम्पूर्ण उत्तरदायित्व विद्यालय प्रबन्धतंत्र का होगा।

भवदीय

(दिव्य कान्त शुक्ल)

संयुक्त शिक्षा निदेशक,

प्रयागराज मण्डल, प्रयागराज

पृष्ठांकन संख्या/NOC/ 12702-09 /2022-23 तददिनांक।

उपर्युक्त की प्रतिलिपि निम्नांकित अधिकारियों को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. आयुक्त, प्रयागराज मण्डल, प्रयागराज।
2. जिलाधिकारी, प्रयागराज।
3. शिक्षा निदेशक (मा०), उत्तर प्रदेश, 18 पार्क रोड, लखनऊ।
4. निरीक्षक, आंग्ल भारतीय विद्यालय, उत्तर प्रदेश, लखनऊ।
5. जिला विद्यालय निरीक्षक, प्रयागराज।
6. प्रबन्धक, डी०ए०वी० सरदार पटेल पब्लिक स्कूल, पी०पी०जी०सी०एल० बारा, प्रयागराज, उ०प्र०।
7. कार्यालय प्रति।

(दिव्य कान्त शुक्ल)

संयुक्त शिक्षा निदेशक

प्रयागराज मण्डल, प्रयागराज

## CERTIFICATE OF LAND

File No. 12AS/ST-ARI/2024

Date – 01.08.2024

Certified that the land measuring **58300 sq. meters** is owned by the Prayagraj Power Generation Company Limited by way of Conveyance-Deed.

It is further certified that owner of the land has leased the said land to DAV Sardar Patel Public School, PPGCL, Bara, Prayagraj – 212107 fully described in the scheduled mentioned hereinafter with the following details for a period of **30 years** from **02.05.2021 to 01.05.2051**.

SL.	Particulars	Details
1	Plot No.(s) / Survey No.(s) / Khasra No.(s) / Khata No.(s) / Khatauni No.(s)	82, 91, 94, 95, 96, 97 & 191
2	Name of street / Village, Sub-Division, District and State	Village- Khansemra, Tehsil- Bara, District – Prayagraj, U.P.

It is certified that the said entire land comprise of a single contiguous plot of land. It is further certified that DAV Sardar Patel Public School, PPGCL, Bara, Prayagraj – 212107 run by name of Dayanand Anglo-Vedic College Trust & Management Society (Society / Trust / Company under Section 8 of the Companies Act, 2013) is located on the said plot of land.

### THE SCHEDULED OF LAND ABOVE REFERRED TO

All that piece and parcel of land measuring **58300 sq. meters** area of land (in square meters) situated in plot nos. **82, 91, 94, 95, 96, 97 & 191** at Village – Khansemra, Tehsil – Bara, District – Prayagraj and bounded as follows:

North : Open Area  
East : Open Area  
West : Shopping Area  
South : Road

(Stamp and Signature of the land authority)

  
Jayant Kumar Mishra  
(Name of Officer) Bara-Bara  
(Prayagraj)